## NOTES:

## A. GENERAL NOTES

- 1. TOPOGRAPHIC INFORMATION SHOWN ON THIS PLAN WAS PREPARED BY DILLIS & ROY CIVIL DESIGN GROUP, INC.
- 2. ELEVATIONS REFER TO AN ASSUMED DATUM (SEE BENCH MARK LOCATED ON PLOT PLAN). RESOURCE AREAS AS DEFINED BY THE MASSACHUSETTS WETLANDS PROTECTION ACT AND THE TOWN OF STOW WETLANDS BYLAW WERE
- DELINEATED BY DILLIS & ROY. 4. EXISTING UTILITIES SHOWN ON THIS PLAN WERE COMPILED FROM FIELD MEASUREMENT AND RECORD PLANS. THE UTILITIES SHOWN ON THIS PLAN ARE FOR REFERENCE ONLY AND SHOULD NOT BE ASSUMED TO BE CORRECT NOR SHOULD IT BE ASSUMED THAT THE UTILITIES SHOWN ARE THE ONLY UTILITIES LOCATED ON OR NEAR THE SITE. THE CONTRACTOR SHALL CALL DIG SAFE 1-888-DIG-SAFE PRIOR TO CONSTRUCTION IN ACCORDANCE WITH STATE LAWS.
- 5. CONTRACTOR SHALL REFER TO THE ORDER OF CONDITIONS FROM THE STOW CONSERVATION COMMISSION PRIOR TO CONSTRUCTION.

## B. CONSTRUCTION NOTES:


- 1. FINISHED GRADING SHALL BE DONE IN ACCORDANCE WITH THE PLOT PLAN. ALL DISTURBED AREAS SHALL BE COVERED WITH A MINIMUM
- OF 4" OF LOAM AND SEEDED WITH A NATIVE GRASS MIXTURE. 2. CONTRACTOR TO SET EROSION CONTROL BARRIER PRIOR TO WORK AT THE SITE AND HAVE SAID BARRIER INSPECTED BY THE STOW
- CONSERVATION COMMISSION PRIOR TO CONSTRUCTION. 3. CONTRACTOR TO COORDINATE WITH APPROPRIATE UTILITY COMPANIES FOR ANY TEMPORARY DISCONNECTIONS AND SERVICES
- CONNECTIONS. 4. ALL CONSTRUCTION DEBRIS SHALL BE REMOVED FROM THE SITE AND DISPOSED OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL
- LAWS AND REGULATIONS. 5. REFER TO ARCHITECTURAL PLANS PREPARED BY PRESTON DESIGN INC. FOR DETAILS AND SPECIFICATIONS ON THE PROPOSED STAIRS FROM THE PROPOSED HOUSE TO THE EXISTING DOCK.

## C. EROSION CONTROL SPECIFICATIONS

- 1. WORK SHALL BE PERFORMED DURING A DRY PERIOD.
- 2. PLACE EROSION CONTROL BARRIER PER THE DETAIL ON THIS PLAN PRIOR TO CONSTRUCTION. NOTIFY THE STOW CONSERVATION COMMISSION AFTER INSTALLATION FOR INSPECTION.
- 3. RESTORE DISTURBED AREAS IN ONE OF THE FOLLOWING WAYS AS INDICATED ON THE PLANS:
  - 3.1.1 VEGETATED UPLAND SLOPE AREAS ALL UPLAND SLOPE AREAS SHALL BE RESTORED WITH A MINIMUM OF 4" TOPSOIL, SEED, FERTILIZER AND MULCH.
  - 3.1.2 SLOPES GREATER THAN 3-FEET HORIZONTAL TO 1-FOOT VERTICAL SHALL BE RESTORED WITH EROSION CONTROL BLANKET SIMILAR TO NORTH AMERICAN GREEN (NAG-S75), OR APPROVED EQUAL.

WOODEN STAKE TO BE PLACED ADJACENT WATTLES SHALL TIGHTLY . AT EITHER END OF THE WATTLE 🤟 🦞 BUTT TOGETHER AND AT MAX. SPACING OF 4' .O.C ← FILL HIEGHT=3"± UNDISTURBED SUBGRADE – INBED WATTLE 3"+ INTO EXISTIN GROUND SURFACE MIL O STRAW WATTLE

NOT TO SCALE



OWNER: PREPARED BY: **DILLIS & ROY** SAMUEL HURWITZ 63 OAKLAND AVENUE NEWTON, MASSACHUSETTS **CIVIL DESIGN GROUP** APPLICANT: SAMUEL HURWITZ LAND SURVEYORS WETLAND CONSULTANTS CIVIL ENGINEERS 63 OAKLAND AVENUE PHONE: (978) 779-6091 1 MAIN STREET, SUITE 1 NEWTON, MASSACHUSETTS LUNENBURG, MA 01462 www.dillisandroy.com

