

Board of Health Meeting

October 13, 2022

5:00 PM

Remote Meeting

Join Zoom Meeting

<https://us06web.zoom.us/j/89530098319?pwd=bU1yVFITaXovSlidHNXIBMDRWUlhhdz09>

Meeting ID: 895 3009 8319

Passcode: 329205

5:00 PM Call to Order

Appointments/Hearings

5:15 PM -42 Pine Point Road- Ducharme and Dillis-Septic System Upgrade

Variance Requests

LOCAL VARIANCES:

Leaching Area Requirements:

A Leaching Area shall have an effective S.F. to handle 150% of the estimated design flow, As per Title 5. (Provided: S.F. as approved by D.E.P. for a Presby Type system)

Title V Local Upgrade Approvals:

15.405(1)(a): Reduction of system setbacks for property lines provided system is within those property lines. (Provided: 5.7')

15.405(1)(b): Reduction of system setbacks from cellar wall to system components from 10' (Provided: 8' to septic tank. Provided 19' to S.A.S.)

15.405(1)(f): Reduction of the 100-foot system setbacks from surface waters. (Provided: 32.0')

15.405(1)(g): Reduction of system setbacks from a water supply well. (Provided: 75.3)

5:45 PM-9 Wedgewood Road- Doucette Engineering- Proposed Septic System Upgrade

Letter of Explanation and Request-Title 5 310 SMR 15.404(3)allow reduction in depth of naturally occurring material above refusal by 2 feet. And 310 CMR 15.405(1)(h)Local Upgrade Approval

6:15 PM- 23 Hiley Brook Road- Proposal for Replacement Well

Health Agent Report

Member Updates

Office Business-Minutes review

Discussion/Action Items(can be taken up in any order or time)

Stormwater and Health Septic Education-Steve Nadeau Highway Superintendent

Well Regulations

Flu Clinic 10.15.22

Charter Review Comments

Correspondence

Public Comment

Adjourn

9.11.22 Postedcc