Board of Health Meeting March 11, 2021 5:00 PM

Due to Coronavirus and the Town Building closure- The Board of Health will hold their meeting remotely on Zoom- to join the meeting see log in below

5:00 -Call to Order

Minutes- February 11, 2021 Meeting approval

5:15 PM- 247 West Acton Road-Doucette Engineering-Local Upgrade Approval and Variance Requests

- 1. Request relief from Stow Board of Health Regulation Requirement of 150% design flow and to allow the system to be designed at Title 5 required design flow.
- 2. Request relief from Stow BoH Regulation minimum distance between a water body and septic system from required 100 feet to not less than 50 feet.
- 3. Request relief from Stow BoH requirement to allow an upgrade with less than two percolation tests and to allow for the system to be designed in accordance with the Title 5 alternative to Percolation Testing Guidance- see letter of request for language.

5:30 PM- Chuck Black/Kendall Homes-Definitive Subdivision – Joanne Drive

Request for waiver to the Leaching Area Requirement Regulation of the Town of Stow Board of Health Regulations for Lot 4 Joanne Drive- Leaching Area shall have an effective square footage to handle 150% of the estimated design flow as defined in Section 15.02 of Title 5.

5:45 PM-44 Pine Point Road- Quinn Engineering- Review Revised Proposed Septic System Plan

See Variance letter dated March 5, 2021 from Quinn Engineering

Minutes Review February 11, 2021 Meeting

6:00PM John Sangermano-review proposed bylaw on Plastic Bag Ban

Discussion Items (can be taken up at any time during the meeting)

Agent Report

Covid Reporting and Updates

Member Updates

MRC -Newsletter

Nomination of Animal Inspector April 2021

Intermunicipal Services Agreement for Animal Control

Office Business

Public Input

Correspondence

Public Hearing Notices and Decisions other Departments

PFAS Reporting

Join Zoom Meeting

https://zoom.us/j/95288290088?pwd=bmt3aFFDcElvNDRFQ2szSU1TVIVQdz09

Meeting ID: 952 8829 0088

Passcode: 458462 One tap mobile

+13126266799,,95288290088#,,,,*458462# US (Chicago)

+19292056099,,95288290088#,,,,*458462# US (New York)

Posted 3.9.21