

Board of Health Meeting
March 15, 2018
Town Building
5:00 PM
Agenda

5:00 PM- Call to Order

Appointments

5:20 PM- **16-20 Davis Road**-Sewage Disposal System- Variance requests:
From Town of Stow Well Regulations 5.2

- To allow the existing well to be converted to an irrigation well and be less than 50 feet to the leaching facility- 31.6 feet provided

From Town of Stow Septic Regulations

- To allow the leaching area to be sized at 100% of estimated design flow instead of 150 %.
- Minimum distance between a water body and Soil Absorption System required 100 feet, 52 feet provided.

Title 5 Variances requested from 15.211(1)Minimum Setbacks to allow system components

- Soil Absorption System to property line- 10 feet required, 5 provided
- Septic Tank to property line- 10 feet required- 5 feet provided
- Septic Tank to slab foundation- 10 feet required, 7.1 feet provided

6:00 PM- **168 Barton Road**- discussion on existing Septic System approved capacity, vote if necessary

6:20 PM-**126 Gleasondale Road**- Sewage Disposal System Upgrade
Variance request from Stow Board of Health Regulation

- Allow the Soil Absorption System to be located 59 feet from the edge of wetlands instead of required 100 feet.

Agent and Member Reports

Office Updates

Minutes review

MRC Updates- Sheltering

Correspondence review

Posted 3.12.18 at 5:00 PM cc